


FIG. 1









FIG. 3










DATA FOR CENSUS VECTOR CENTERED AT (x,y)


							X				
			-4	-3	-2	-1	0	1	2	3	4
		-4						1		2	
	Y	-3	3		4		5		6		
		-2		7		8		9		10	
		-1	11		12		13		14		
		0		15		16	(x, y)		17		18
		1		19	·	20		21		22	·
		2			23		24		25		26
		3		27		28	·	29		30	
		4		·	31		32				
324											J
	٠.								323		

Fig. 7












Fig. 10A




Fig. 10(B)









Fig. 10(C)























Fig. 11 (J)





Fig. 12


 \bar{c}


Fig. 13A


10020882032102

<u>B</u>












. . .

-	Υ Υ X+14 X+15	(A)	× × +15	(B)	× × 15	(2)	→ → × × × × × × × × × × × × × × × × × ×	(a)	
Σ. <u>Σ</u>	Y Y X+12 X+13	FIG. 15(A)	Y Y Y Y X+15 X+15	FIG. 15(B)	Y Y Y 1 X+12 X+13 X+14	FIG. 15(C)	Υ Υ X+12 X+13	FIG. 15(D)	
COLUMN SUM ARRAY [X][Y]	Υ Υ Υ Υ Υ X+8 X+9 X+10 X+11		Υ Υ Υ Υ X+8 X+9 X+10 X+11		γ γ γ 8 X+9 X+10 X+11		Y Y Y X+10 X+11		
	Y Y X+6 X+7		Y Y X+X X+7		Y Y X+X X+8		Υ Υ Υ X+6 X+7 X+8		WIDTH
UPDATE SEQUENCE 384 385	Υ Υ Υ X+3 X+4 X+5		Υ Υ Υ X+3 X+4 X+5		Υ Υ Υ X+3 X+4 X+5		Υ Υ Υ X+3 X+4 X+5		
UPDATE S	× × × × × × × × × × × × × × × × × × ×	386 386 ————————————————————————————————	Υ+1 Υ Υ × X+1 X+2	787 384 	Y+1 Y X+1 X+2	t=2 384	Y+1 Y+1 Y+1 X X+2 X+2	t=3	













FIG. 17(B)













Fig. 20(A)







CORRELATION SUM & DISPARITY OPTIMIZATION (REGIONS 3 & 4)









FIG. 22(B)














Fia. 25(A)


CORRELATION SUM &
DISPARITY
OPTIMIZATION
(REGIONS 7 & 8)





Fin 25/R1
















INTEREST OPERATION

















INTEREST OPERATION (REGION 10)




Fig. 35(A)

INTEREST OPERATION (REGION 10)





Fig. 35(B)



LEFT - RIGHT CONSISTENCY CHECK




FIG. 37(A)





FIG. 37(B)



MODE FILTER





FIG. 38(B)




MODE FILTER (REGIONS 1 & 2)

			<u>_</u>
	DISP	DISPARITY COUNT [x+Z]	_923
	O	[x] [00] 00 00 00	
	1	[x] 00 00 00 00	1
	2	[x] 00 00 [00] 00	
	3	(x) 00 00 00 00	
	4	[x+1] [00] 00 00 00	
	5	[x+1] 00 00 00 00	i
	6	[x+1] 00 00 00 00	
	7	[x+1] 00 00 00 00	1
	8	[x+2] 00 00 00 00	1
	9	[x+2] 00 00 00 00	I
	10	[x+2] 00 00 00 00	
	11	[x+2] 00 00 00 00	İ
	12	[x+3] 00 00 00 00	ŀ
	13	[x+3] 00 00 00 00	
	14	[x+3] 00 00 00 00	
	15	[x+3] 00 00 00 00	1
	16	[x+4] [<i>00</i>] <i>00 00 00</i>	
	17	[x+4] 00 00 00 00	1
	18	[×+4] 00 00 00 00	İ
	19	[x+4] 00 00 00 00	
	20	[x+5] [00] 00 00 00	
	21	[x+5] 00 00 00 00	}
	22	[x+5] 00 00 00 00	
	23	[x+5] 00 00 00 00	
			1
<i>.</i> *			

Fin 30/R)

MODE FILTER (REGIONS 3 & 4)



MODE FILTER (REGIONS 3 & 4)

A	DISP 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	DISPARITY COUNT [x+Z]	931
3 T (3 5. 7.	21	[x+5] 00 00 00 00	
37%			j

FIG 40(B)

MODE FILTER (REGION 5)





FIG. 41(A)

MODE FILTER (REGION 5)

	DISP	DISPARITY COUNT [x+Z]	
	0	[x] 00 00 00 00	951
	1	[x] 00 00 00 00	
	2	[x] 00 00 00 00	
•	3	[x] 00 00 00 <u>00</u>	
	4	[x+1] 00 00 00 00	
	5	[x+1] 00 00 00 00	
	6	[x+1] 00 00 00 00	
	7	[x+1] 00 00 00 00	
	B	[x+2] 00 00 00 00	
	ງ 9	[×+2] 00 00 00 00	
	10	[x+2] 00 00 00 00	
	11	[x+2] 00 00 00 00	1
	12	[x+3] <u>[00] 00 00 00</u>	
	13	[x+3] 00 00 00 00	
	14	[x+3] 00 00 00 00	
	15	[x+3] 00 00 00 00	
	16	[x+4] [00] 00 00 00	
	17	[x+4] 00 00 00 00	
	18 ´	[×+4] 00 00 00 00	
	19	[x+4] 00 00 00 00	
	20	[x+5] 00 00 00 00	
	21	[x+5] 00 00 00 00	
,	22	[x+5] 00 00 00 00	
	23		
	20	[x+5] 00 00 00 00	
* • ·			

FIG. 41(B)



MODE FILTER (REGION 5)




FIG. 41(D)





FIG. 42(A)

MODE FILTER (REGION 6)

	DISP	DISPARITY COUNT [x+Z]]
	0	[x] 00 00 00 00	l
	1	(x) 00 00 00	1
	2	[x] 00 00 00 00	971
	3	[x] 00 00 00 00	Y
į	4	[x+1] 00 00 00 00	
	5	[x+1] 00 00 00 00	1
	6	[x+1] 00 00 00 00	
	7	[x+1] 00 00 00 00	Į.
-	8	[x+2] 00 00 00 00	
ı	9	[x+2] 00 00 00 00	i
	10	[x+2] 00 00 00 00	
7	11	[x+2] 00 00 00 00	
	12	[x+3] 00 00 00 00	
	13	[x+3] 00 00 00 00	
1	14	[x+3] 00 00 00 00	
-	15	[x+3] 00 00 00 00	
	16	[x+4] [00] 00 00 00	
	17	[x+4] 00 00 00 00	
1	18	[x+4] 00 00 00 00	
	19	30 00	
	20		
	21		
	22	[x+5] 00 00 00 00	
	_	[x+5] 00 00 00 00	
	23	[×+5] 00 00 00 00	
[

EIC 10(B)



MODE FILTER (REGION 6)






FIG. 42(D)



MODE FILTER (REGIONS 7 & 8)

		980
		<i></i>
	DISP	DISPARITY COUNT [x+Z]
	0	[x] 00 00 00 00
	1	[x] 00 00 00 00
	2	(×) 00 00 000 00
	3	[×] 00 00 00 <u>[00]</u>
	4	[x+1] 00 00 00 00
	5	[x+1] 00 00 00 00
	6	[x+1] 00 00 00 00
	7	[x+1] 00 00 00 00
	8	[x+2] 00 00 00 00
	9	[x+2] 00 00 00 00
(A)	10	[x+2] 00 00 00 00
	11	[x+2] 00 00 00 00
	12	[x+3] 00 00 00 00
	13	[x+3] 00 00 00 00
ł	14	[x+3] 00 00 00 00
	15	[x+3] 00 00 00 00
1	16	[x+4] 00 00 00 00
	17	[x+4] 00[00]00 00
	18	[×+4] 00 00 00 00
	19	[×+4] 00 00 00 00
	20	[x+5] [00] 00 00 00
	21	[×+5] 00 00 00 00
•	22	[x+5] 00 00 00 00
	23	[x+5] 00 00 00 00
		[5] 66 66 66 [00]
, L		
Same and the same of the same		


FIG. 43(B)



MODE FILTER (REGION 9)

D	DISP 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	DISPARITY COUNT [x+Z] 1001 [x] 00 00 00 00 00 [x] 00 00 00 00 [x] 00 00 00 00 [x+1] 00 00 00 00 [x+2] 00 00 00 00 [x+3] 00 00 00 00 [x+3] 00 00 00 00 [x+4] 00 00 00 00 [x+5] 00 00 00 00
	19 20	[x+4] 00 00 00 00 [x+5] 00 00 00 00

FIG. 44(B)



MODE FILTER (REGION 9)






FIG. 44(D)



MODE FILTER (REGION 10)

DISP	DISPARITY COUNT [x+Z]	1022
0	[x] 00 00 00 00	1
1		I
2		1
3	[x] 00 00 00 00 [x] 00 00 00 00	
4	[x+1] 00 00 00 00	l
5	[x+1] 00 00 00 00	
6	[x+1] 00 00 00 00	
7	[x+1] 00 00 00 00	1
8	[x+2] 00 00 00 00	j
9	[x+2] 00 00 00 00	ł
10	[x+2] 00 00 00 00	Ĭ
11	[x+2] 00 00 00 00	ł
12	[x+3] 00 00 00 00	
13	[x+3] 00 00 00 00	i
14	[x+3] 00 00 00 00	1
15	[x+3] 00 00 00 00	ł
16	[×+4] 00 00 00 00	Ī
17	[×+4] 00 00 00 00	
18	[×+4] 00 00 00 00	
19	[×+4] 00 00 00 00	
20	[x+5] 00 00 00 00	
21	[x+5] 00 00 00 00	
22	[x+5] 00 00 00 00	
23	[x+5] 00 00 00 00	



MODE FILTER (REGION 10)









FIG. 45(D)

















CENSUS VECTORS LEFT IMAGE


	•	
	5	
	0	
	Ø	
	7	
	Ø	• • •
	ഗ	
:	4	
	3	
	2	

Fig. 53(A)

CENSUS VECTORS RIGHT IMAGE

	<i>.</i> 0	
	<u>o</u>	
	œ.	
	i	
	9	
	ũ	
	4	
	ы	
	2,	
ſ		

Fig. 53(B)




15 IMAGE ELEMENTS (1 TO 15 FOR L; 1' TO 15' FOR R) D=5 (d= {0, 1, 2, 3, 4})

	1	1	!	- 15-11,	t=19	
	 	, io	11-8' 12-9' 13-10' 14-11' 15-12'	10-6' 111-7 12-8' 13-9' 14-10' 15-11'	t=12 t=13 t=14 t=15 t=16 t=17 t=18 t=19	
	4	0-8' 11-9' 12-10' 13-11' 14-12' 15-13'	0, 14-1	. 13-6	5 t=17	
<u>5</u>	3, 15-1	1. 14-1	9' 13-16)	
14, 15	12' 14-1	0' 13-1		. 111-7	+7 (1)	
13' 14-	11, 13-1	9. 12-1	7 11-8	10-6	5 t=14	†
12' 13-	10-9' 11-10' 12-11' 13-12' 14-13' 15-14'	3. 11-6	9-6, 10-7	8-4' 9-5'	t=13	
-11' 12-	9. 11-1	7 0-4	5. 9-6			
-10' 11	9-8, 10	6, 9-7	6-3' 7-4' 8-5'	6-2' 7-3'	0 1 <u>=1</u>	e
-9, 10		5. 8-1	3. 7.		9 1=1	time
8-8' 9-9' 10-10' 11-11' 12-12' 13-13' 14-14' 15-15'	,	.4. 7.	5-2' 6-	5-1,	t=8 t=9 t=10 t=11	
3 7-7	5-4' 6-5' 7-6'	5-3' 6-4' 7-5' 8-6'		1	t=7 t=	
6-6' 7-7	5-4' (6	4-2' 5	 4	 	t=6 t:	
5-5.		7-7. 4	 	1	t=5 t	
'	3-2.	 	 - -	i !	t=4 t	
3-3' 4-4'	2-1	 		† † †	t=3 t	
2-2,] 		 	t=2 t:	
1-1	 	 		† † † † † † † † † † † † † † † † † † †	<u>1</u> 17	
0		I		4 	<u>خ</u>	

FIG. 55

LRI	.	RLI		LRI		RLI
LR _I (9)	5	RL _I (5')		LR ₁ (10)	5	RL _I (6')
LR (8)	4	RL (4')		LR ₁ (9)	4	RL _I (5')
LR ₁ (7)	3	RL ₁ (3')		LR _I (8)	3	RL _I (4')
LR ₁ (6)	2	RL _I (2')		LR _I (7)	2	RL ₁ (3')
LR _I (5)	1	R4(1')		LR ₁ (6)	1	RL _I (2')
Fig. 56(A)			Fig. 56(B)			







Fig. 56(D)











FIG. 58




































.

4

£ 462.00






Fig. 60M




Fig. 60N




Fig. 600





Fig. 60P




÷,,

ŧŧ.

•

				_			 	~	7 -00
		1			1			-0×	1 , 25
		1		1			NF0		- FOOX4
	1			I				-04	4-010
		1		1	NOT.	0	100	<u>- જા</u>	2 2-00
		1			1		Nor-	200	וי
	1	1		İ	No.			100-	7-00
	l	1					250		\ }
					200	N		-00	7-00 7-00
				1			の下る	oo	7-0-
	1				Noru	O		− ∞−	. j
		1		1			100	− 00	
				1	1		Q-	<u> – თო</u>	7-04
		ł					00	-04	7-00
		l					00	– თთ	2-01
		l			ł		04	<u>+0</u> ⁄	1
- 1]		1			50	-00	2-00
- 1		l		l	1		50	- 00	~−00
- 1		ĺ		l			00	000	£400
ì				Ì	1		10/	200	2000
- 1			i	1	I		100	200	F000
- 1					i		700	200	7400 7400
ı			ĺ		1		10-	000	7007
					1		 	702	2000
	ı						₹20	900	0002
z	닠	•		0	ļ	EAST	₹8	<i>NO</i> 0	<i>₽′01−0</i>
S .	징		공	ESP	l	E E	₹4	2-0	アントろ
						i	₹0	<u> </u>	FU-4
- 1			ł		į	l	√ ₹0	<i>S</i> 1−4	σ-ω-π
- }	- 1				1		<u> </u>	ω+n	FU-0
1	- 1		- 1			[<u>√<0</u>	0-0	50-F
	- 1		ł				<u>√<0</u>	2-12	₹0-0
	1		- 1				<u>√<-0</u>	0-10	F000
			- 1				V<	000	F00F
	ı		- 1			ſ	<u>√<-0</u>	_00+	
ļ			ı			ſ	/ <u>∢-</u> ω	ろろろ	からこう
	1		ı			ſ	/ ≪-4	004	F004
- 1	- 1		- 1				<-r	200	りころの
	- 1			İ		ſ	V<-0	200	PUN0
	1					1	1-5	000	FUND
			- 1			- 1	V<-00	000	<i>E</i> 000
Ì			- 1	[_ h	\ <u><-0</u>	000	テ いいO
				ſ	\		NO 4	ころト	<i>₽′0′</i> 00←
. [د د می	}		W \$\tau\$	T		200	アクスク
		Ž.	Ì		\		ω _T ω	2000	4000
			I		SPB	T		NW4	ア ′0′0′4
		-	I	1	\		NF 0	200	アクの心
			į	ļ	$\omega \sigma \omega$	~		250	アクのの
,	1		1	ŧ	\		270	2007	ア 00/

FIG. 61(B)










FIG. 61(D)







ののつべん	<u> </u>			
7V		7	7 —	
0	r vr-		1	1
$\sigma \rightarrow \sigma$	0	200-	İ	
<i>r</i> 4	10 NTU		1	1
~~~ ₩	4	NOUN	1	
F0	w wrw		1	FIG. 61(G)
<u></u>	7 00	NEW	ł	
0	0 0-	1	i	7.
~~0ø	-06 00	1	ł	
r-00	-00 DN	1	1	10
2-01	-OV 04	l	1	1
ケー04 ケー0心	-OD DD	ł	1	1 17
₹ −0₩	-04 DR	ł	1	
F-00	-00 DO	[1	
F-00	-00 00		1	
σ	-00			
701	80 ON		0	
ア ወ Ø	<u>0</u> / ₀ / ₀ / ₀	⊢	PR0G	
σ ወ σ	00 <− 0	WEST	<u>~</u>	
r 04	04 < ⋈0 ⋈√ ⋈	WE9	1 1	
テ のめ	ω ν			
700	ων <υ] [
-Z LOO	00		 	─ ───────────────────────────────────
700	0> 00	N N	ł	~~~ -
7.00~	12 10	_		
~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	@> 00			
τ φ 4 Γ φ Ω	ØD <0] [
7.60.7	₩ <-0]	
<i>₽</i> .∞−	Øα <			
	Ø- <-N			
アンの	V 0 <-W			
277	1-0 <-4		İ	
210	VV			
T ∨ 4	0-> 01		- 1	
アアろ	V 4 <-V		1	
アトロ	NW <-0	i		
TV-	V0		- 1	
710	V- NT4	1	Í	•
700	0.7	NP 4	l	
700 FOR	<i>σο</i> υ <i>τ</i> υ	<i>\</i>	1	
701	00	NT R		
r00	0V NF0			
TOU LOW	00	000		
TRO TO4	00 05V	/		
		 1		





I





2000	FIG. 62(E)
の 8 4 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	47 P46 47 P47

POCK!	0411 1/ BU	5 = 5 E E E E E	17 TMS 19 P19 20 P20 23 P21 24 P23	25 724 26 725 27 726 28 726 31 728	32 732 34 733 36 735 36 735 36 735 36 736	200 144 442 144 144 144 144 144 144 144 144	FIG. 62(F)
T D D D D D D D D D D D D D D D D D D D	20 FFFF F F F F F F F F F F F F F F F F	5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	20 000 17 000 100 100 100 100 100 100 100	252 7 7 2 25 25 25 25 25 25 25 25 25 25 25 25 2	35 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	739 441 736 139 737 137 734 136 733 134	
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	000 000 000 000 000 000 000 000 000 00						

	t		•		
	11				
	<u>-00</u>				
	D-00				
	F0074				
	<u>σ</u> − ∞ ω				
	5-00				
	9-1-86				
ı	7-80				
•	7-60				
-	σ-ω-				
ł	₽+00				
1	σ~ωw				
ı	ケーの心 ケーの4				
	7-07				
	$\sigma \leftarrow \omega \omega$				
	~~oo				
ı	7400 7400				
I	7.00W				
	F 40 C				
ij	r400				
	7002 7007				
	9002			•	
- 1	F4-0				
	からしる				
1	<i>₽</i> 0-4				•
ll	F-01-10 F-01-10				
Ų	727				
ď	€01-0				
	0004				
J	F00-				
	と 204 と202				
	す のので 正ののは				
	5000 5000				
ľ	P000				
	F 000				
	アンスク				
1	ア				
]	からある				
	F 01204				
	りるろう				
	かっちる				
, 1	PUNV				
	ら00×4 アころの				
	200×4				

FIG. 62(G)

1939555






FIG. 62(H)

-Z-H	60 HI MK6 666 667 77 77 77 7 8 8 8 8 8 8 9 9 HIQ 2 24 567 8 9 0 1 2 3 4 6 7 8 9 1 2 3 4 5 6 7 9 2 3	2 34 5678 9 0 1 2 3 4 67 8 9 1 2 4 5 67 8 9 2 3	PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP	TM944	
		16.62(1)	PCIOB	PCIDA	












FIG. 62(L)










CCTRL_DOUT FIG. 63(A)



下一一	-04
Q03-0	200 00
Q_Z0	00-200
PX000	70-0
Z_FQ	000-00
203⊢-	-00 r-00
0-Z-	
F800-	-00 2-0-
-Z-F-	-0- 2-00
003-0	<u>-000</u> 2-04
Q_ZN	04 r-on
FROOM	on r-ov
-Z-F0	-00 2-00
20⊃⊢∞	
O-ZW	<u>-00</u> ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
PROQU	2000
Z⊢n	2000
00⊃⊢4	70m F 200
D-54	MON 7 MOR
FRO04	<u> </u>
-Z4	401 2000
Ø0⊃⊢10	000 2000
0-Z0	400 24-0
500m	0-0 LU-W
-Z-H0	N-10 2 N-4
1000-10	0-4 DO-10
D-50	0-10
FR000	7-02
-Z-H0	20-0
202FV	0207
O-ZL	7207
PROOL	00 -
-Z-F	2000
1002FØ	004 5004
O-ZO	2000
/2×000	2000 2000
-Z0	2000
0-1C00	0000 0000
0-Z0	<u>000</u> 2000
2×000	<u>000</u> 200-
-Z-F0	<u>000-</u> F000
/ 22====	000 L000
	<u> </u>
0-z-0	004 F000
FK00-0	000 TUNO
-Z0	NW0 7 NWV
V002	200

FIG. 63(C)








FIG. 63(D)











	1				-
		702	യഗ		- J
		. ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	04		
		r 200			_ _
	1	-Z r00	000]
		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	000		-
		700	900]
		200	400		! _
	1	σωι	000		63(1)
	1	√∞4	0.00	- - 	3
		200	I -		O I
		$\sigma \sigma \sim$	82		٠, ا
		210	100	+	FIG.
		2/0	100		Ц
	İ	174	77	+ +	
	1	₽ ~ 0	120		
		ν	V-4		
	1	アレの アレめ	∠ Ю		
	ĺ	T	27		
		770	7-		
	Ī		10	 	
		700 F00	<u> </u>		
		707	000	+	
		r00	90	+	
		するで	90	 	
		IDO 7.04	04	 	
	1	た し し	90	 	
	į į	ΣΝ	901		
	1			1 1 "	
	200	MM MD MD MD MD MD MD MD MD MD MD MD MD M		1 1 1	
į	-1	Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ	1	1 1 1	
	00	0 = 0 0 + 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	-		
	12 12	82454444465000000000000000000000000000000		1 1	
		CCLK1 CCLK1 POCK1 POCK1 POCK3 SOCK3 SOCK2 SOCK2 SOCK2 SOCK2 SOCK2 SOCK2 SOCK2 SOCK2 SOCK2 SOCK2 SOCK2 SOCK3 SOCCK3 SOCK3 SOCCCK3 SOCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	. 1	1 1	
		\$\frac{1}{2}\frac{1}\frac{1}{2}\f		1 1	
			j		
-					
	 			<u> </u>	
4 80		0 0 0 0 0		.	
· ·	P21	97 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7			
ا جود مع	1.50			ドス	
74.4	***			VCLK	
	•				









Fig. 64










FIG. 66







ri/ ~~






FIG. 69(B)




FIG. 69(C)




FIG. 69(D)